June 12. In the morning I went to the northeast through the ash covered woods and fields. The day was cloudy and the dreariness accentuated by the somber landscape on all sides. Fences and walls were covered by ash like dirty snow. From this direction two columns of smoke were disteast and one from the inct, one from the/west edge of the crater, the eastern one emitting thin smoke and some rocks, the western one a dense gray dust column. This continued until rain clouds drifted in from the west and obscured the cone.

In the afternoon the rain ceased for a while and while planting tubes in some funaroles along the north front of the old lava, we found a new ridge of exidized ash, formed, presumably the previous night, extending from the southeast and about ten meters high. Farther to the west, between two low hummocks for ash covered lava, one could see a small patch of rugged lava. This proved to be a new flow, issuing from beneath the ash ridge near the base of the cone, and flowing to the northwest to the orilla of Paricutin. It had already progressed several hundred maters and judging from its rate of flow, had probably broken out about mid-morning.

As it flowed down the steep orills, its front became steeper and higher, until its slope exceeded the angle of repose of the loose black surface blocks, when the flowing front was completely bare and we could observe from within a very short distance the menner of flow. The advance of the viscous lava took place as slowly bulging lobes, giving the front a gross botryoidal surface, bulging and cracking like rising dough, the lower and principal lobe slowly folding under, incorporating within itself the loose blocks at the foot of the flow. As the bulges developed, they finally overcame the viscosity of the lave and masses of semi-plastic lava would tear slowly off and fall to the foot of the flow. The flow gave off sparse blue vapors but no odor, and the only sound of the moving lava was the clink of

the solidified blocks riding the surface of the flow. Weth considerable curiosity we awaited the arrival of the flow at the edge of the orilla, where there was a drop of some five meters into the arroya, expecting to see a fluid flow of lava, but the moving front did no more than tear into larger blocks, which rolled down

By noon were ready for our departure. We passed the flow of June, still slowly pushing on, and the village of Paricutin, already a ghost town. Above the dark ash cloud extended far to the west, there to mingle with an approaching storm. To the right were pine clad hills, the trees brown and broken, the tejecotes weighed down by an accumulated weight of dust; and to the west, the cornfields black and velvety under a deep cover of ash. And from behind continued the rumble and roar of Paricutin.

This day began beautiful and clear, after the deluge of the night before that cleared the atmosphere of volcanic dust. The dust smoke plume of Paricutin was clear and sharply visible from Uruapan, with a long dark trail of dust clouds cerried miles to the south by the winds. At nine, fleecy clouds began to gather in all directions, as is usual in this region at this time of the year, but more so blow the long dust Compared to the vapor clouds, the dust cloud had a pinkish brown curtain. It was noticed then, as well as on previous occasions, that upon color. intermingling, the vapors maintained their identify until the two were thoroughly mechanically mixed. At 2 o'clock in the afternoon, approaching San Juan Parangaricutiro, one could see, through a gap in the encircling hills, the cone of Faricutin and its huge billowing column of smoke. At 3 P M, while we were awaiting our horses and mules at Parangarioutiro a glance down the street of the town showed a marked decrease of the smoke to a thin languid column, that shrunk perceptibly as we watched, as if the volcano had been turned off and slowly subsided to rest, until, a half hour later there remained but a small wisp of pale vapor, accompanied by an occasional quiet burst of large blocks of rocks and an unnatural calm settled over the cone. We arrived at the "companiento" about 4 o'clock. The old lava flow of February-Merch was now completely covered by ash, except for the peaks and crags that projected above the surface or faced the edge of the flow, and the numerous fumeroles along the lave front gave off, lamily, their usual white or bluish fumes. The rather tranquil state of the crater did not last long but soon the activity began to increase, gradually and elmost imperceptibly, until at nine o'clock the explosive burst again following each other in repid succession,

and Paricutin again became a wild, noisy monster. Huge masses of viscous lava were thrown high into the air, essuaing many wierd, usually elongated shapes: rods, club or mace shaped projectiles, some like boomerangs or T's, and a surprising number like birds soaring through the air. On falling upon the slope of the cone these broke into cascading fragments, or rolled like pin-wheels, casting fragments into leaping arcs.

The noise and confusion of the heavier explosions were indescribably tremendous, and was accompanied by blasts of air. The roar reverberated around the surrounding area like the roll of thunder and the funaroles along the front of the old flow coughed puffs of vapor. At 13:10 AM the tremendous roar suddenly ceased. Expectantly we waited for the crater to continue. There was one last blast, then quiet. I went to the door of the cabin but could distinguish nothing. Everything was uncannily quiet. In a few minutes the dust cleared and a huge notch was apparent in the skyline of the cone.

Earlier in the evening I had noticed a slight drop in the crestline of the creter which by midnight had developed almost imperceptibly into a distinct sag which in the obscurity of the night carried no especial significante. At this time, however, something quite catastrophic had transpired, but what, would be revealed only by the morning light.

Shortly after this event, the creter broke into a magnificent display of fountaining incandescent fragments, silent except for the patter of bombs upon the volcance's slopes, and continued, intermittently until morning.

June 10

In the morning light, one could see that during the night a huge section of the cone, covering one quarter of its perimeter, had slumped down in terraces, forming a caldera-like arc in the flank of the previously symmetrical cone.

The volcano was now very quiet, with only occasional bursts of rock bombs, but with its normal plume of billowing smoke, rising to a height of about 3,000

meters and a curtain of ash drifting with the winds to the west.

In the western point of the lowest terrace of the slide was discercible a patch of reddish exidized ash with occasional falls of rock, accompanied by wisps of reddish dust, obviously an area in slow motion. At eleven in the morning red incandescent lava appeared. Its rate of flow was 50 meters per hour, but it soon ceased its advance. The high steep front of ash of the lower terrace also advanced slowly to the north by the continuous sliding down of ash and rock, and, although it advanced some few meters, no lave appeared along its face.

All day long Paricutin was in one of its more tranquil moods, with few bursts of bombs and the continued billowing plume of smoke.

at 7:40 P M there suddenly appeared near the northwest base of the cone a thin solumn of white smoke, too large for a fumerole and within the main portion of the old lava, where no fumeroles existed. Within a minute or two its base gleamed red and it increased in size and intensity. Believing that it presaged the beginning of a new crater, we hastened to the spot, encountering in our way an area of ash disld? and furrowed, like a deeply plowed field, and beyond found a low cliff of black lava, seamed and gashed by glowing cracks, and slowly disintegrating. Huge incandescent blocks relied down its front and numerous trickles of small frequents streamed down its sides, and a few small streamlets of truly liquid lave coursed down in narrow stringers.

About 15 minutes after our arrival, a spot, about one meter across became more incandescent, changing from the glowing red of the leve cracks to a brilliant orange yellow, and began to work like leavening bread, and then to slowly flow. Slowly the moving area spread, and within five minutes the entire cliff, for a width of five meters had melted into a flow of brilliant orange, that advanced quietly past the small ash knoll on which we had taken stance.

Now and then, from the incandescent surface of the flow, small pebbles shot up

We made a circuit of the cone and found the south side entirely intact. The forest nearby was battered and broken by falling bombs and the ash covered the pines beyond the whorl of lower limbs. Beneath the spreading cake were mounds of ash, a meter or more above the general level. All about was smooth black ash, pitted by bomb craters, silence and destruction. At 4 o'clock we reached Paricutin and found the townspaople, in groups. (inexcoriation? inexcortication?) we tehing the slow, inexorable/advance of lava upon their lands, or in feverish preparation to abandon their homes. A scant 80 meters separated the lave front from the first casita, blessed crosses placed before it to ward off the impending destruction. The town, itself, was in a sorry state, the smaller dwellings largely buried, roofs and trees broken from the weight. of wet ash, the church in ruins from the constantly recurring earth tremors, the people disconsolete at the thought of abandoning their "tierra." All during the day, the volcano was relatively quiet. A continuous column of amoke rose from the crater with the sound of a high surf, besting on a rocky coast. At night the bright red cascades of the flowing lava continued and dense steam clouds from the fumaroles clung about the old lava. The sky was deepest aquamarine and the whole effect was wierdly fantastic. June 15. In the morning we went to Paricutin. The flow had progressed but 60 meters toward Paricutin but had advanced more rapidly to the north. A number of weak fumeroles had already formed, yielding thin white, yellow or orange crusts. The east flow, although advancing more slowly, had spread into one of the small valleys. At night the glowing cracks in the lave front from a distance resembled the lights of a city from a far-off hill. At 10 o'clock the flow of lave increased, accompanied by spurts of liquid

I spent most of the day in collecting samples from the fumeroles. They look ridicuously like open mouths of fishes from which issues languidly long rising plumes of bluish vapor, clinging to the ash slopes, drawn to the cone by the convection of the central dust column. Before the ash began to fell in large quantities on the night of March 21, the lava front was a steeming jumble of jagged rocks, completely untraversable. Now it is a group of rolling, velvety hills where one can wander as one wills. By contrast, the new lava has a gently rolling appearance; in detail, however, it is a litter of contorted masses of harsh lava blocks. In time, probably, this surface will be matamorphosed in appearance as the still viscous lava beneath forces the solidified crust into pinnacles and crags.

Some of the fumaroles are beautiful: An orifice, perhaps below a low overhanging rock, covered by velvety ash and surrounded by zones of white, orange, yellow and pale we green salts. From the throat rises a languid plume of fluish white fumes.

The north crater is now almost completely filled by the ejectamenta of the south crater, but at 3:40 the north crater again entered into gruption giving off a thin column of ash, while the south crater continued ejecting huge fragments of lava and a dense column of ash.

June 17 was a day of great activity beginning with heavy explosions from the south crater, of large blocks and little smoke. The north crater is now completely filled and its north wall entirely obliterated but below it there has made its appearance a low black cliff, from whence, from time to time incandescent blocks sloughed off.

The tremendous (disquietude) activity centering about new throats has gradually destroyed the pyramidal hill, and the continued blasts from the south crater has worn down its north rim, until what previously appeared as a low cliff had now developed into a huge black plug, two "ears" giving it an owlish appearance. Although seamed by glowing cracks and battered by bombs, it persisted, changing its shape only slight, there was no doubt that it consisted of firm solidified lava. No doubt this represented

June 18

At 12:25 a huge crest of lave appeared without warning, advanced slowly from a source below the new vent, moving phlegmatically along the summit terrace, a front of incendescent lave, perhaps ten meters high. As it reached the edge of the terrace it raced suddenly down the slope, spread out in a sheet at the top of the lower terrace, and again raced down the slope of the lower terrace in a broad sheet. In fifteen minutes it had reached the east base of the cone, a distance from its origin of perhaps 400 meters. By this time an offshoot, perched on the steep slope of the lower terrace had congesled to the point where no further flow was perceptible and the surface, few s/minutes before a broad uniform belt of glowing orange, was now almost completely dark indicating that the flow, in spite of its rapid advance, was in fact not such hotter than the congesling temperature.

This flow was followed by increased eruptions from both the south crater and the new vent, the south crater quietly, although ejecting much material to a great height, like a tall slender christmas tree, the latter, giving off with a rushing roar "flames", black smoke and occasionally small stones.et-2-AM-

*,

We passed the village of Paricutin, already a ghost town, ac fields, now buried beneath velvety black ash, the boundary rows of maguey lifting their ash covered leaves to the sky. To the right hills covered with brown and broken pines, to the left smooth ash covered fields outlined by bordering maguey rows and broken tejecote trees, ahead the gray towers of Parangaricutiro's church. And from behind came the rumble and roar of Paricutin above the dark ash cloud drifting far to the west.

These enormous explosions were presaged by a sudden vivid red cast upon the smoke cloud and accompanied by a most curious phenomenon I am at a loss to explain. Immediately following the glow, there shot up, almost with the speed of lightning, a striking are of yellow light, rising like an aurora, appearing

and disappeared so rapidly that it was uncertain from where it had come or whence it had gone. Tremendous irregular orange colored lava quickly followed and then fell, for the most part, back into the crater.

With considerable trepidation we cautiously climbed a ridge of pushed and scrambled ash that shut off our view of the actual source of leve and looked down upon a stream of rock that seemed to have no apparent source. The dark rugged surface blocks, riding on the glowing lave, filed slowly past like soldiers on review.

By August this ridge had grown to such an extent that the area was totally unrecognizable. Its terminalfront was now about 100 meters high. Rements of bedded ash crowned its summit. itxixxxrom Its form was a mass of huge blocks and sharp spires and from its mides occasionally rolled incondescent blocks of rock. From these slides erose a billowing pink to reddish billowy dust of exidized ash. Its terminal front was seamed and gashed, and broken into hure blocks and sharp spires. These slowly disintegrated by spasmodic trickles of incandescent fragments or the fell of huge red blocks, its entire face in continuous change. Occasionally small lobes of viscous leve bulged out and at one time what appeared to be low flames broke out in a crevice of a huge pinnacle. Obviously the ridge was a slow advance of viscous lave, advancing under the cover of ash, the ridge increasing in height, as well as advancing toward the north. Three flows broke out from its western flank, like pigs from a sow, one on Aug. advancing as a huge flood, carrying along buge blocks of solidified but still incandescent rock.

Sitting on the ash slope, nearby the flowing lava, one could frequently hear a dull crack from below the ash and feel a distinct shock as the soil and ash mantle of the surface gave way under the steady pressure of the advancing lava and small pressure ridges were formed.

May 21, 1943

Arrived at Paricutin. The cone has grown considerably since I saw it in March with Ing. Ordonez and appears to be more active. Present height 350 m. Fumarolic activity in the old flow has diminished, probably due to dampening by the ash that has fallen upon them. The lava is no longer flowing. Some rain.

May 22.

Dr. Atl's house, where fumaroles were so abundant in March, there are now scarcely any. Crossed over the top of the old flow, examining fumaroles along the western edge of the old flow. There are not as many here as along the eastern front. In the pinnacles that project above the cover of ash, are orange and yellow salts, and the fumaroles have a strong smell of hydrochloric acid. Reached the base of the cone, where there were numerous bomb craters, some of them still hot. Followed along the west front of the flow where I found an area of ash covered by a thin white efflorescence of salts, presumably ammonium chloride and other salts dissolved from the ash by yesterday's rain.

Set up a funnel and a tube in a small fumarole near the northwestern front near the crest of the old flow. Water immediately condensed in the tube. Three hours later a crust of salts had formed in both the tube and the funnel. At 5:30, began to rain heavily and the front of the lava began to show much steam, with a little from the summits of the two peaks on the lava flow, but none on the top of the lava. The heavy rain came from the west and the western slope of the cone became covered with clouds of steam that rose up the slope and were sucked over the crater rim.

Good night display, but not equal to yesterday's.

May 23.

Went to the funnel and tube. The tube was crusted with a white sublimate in fine needles and botryoidal masses. The upper part carried some condensed water having a slight saline taste. The funnel carried a crust of white salts with streaks of pale yellow. There appeared to be some condensation in the water-bottle, with which the funnel was connected and the contained water had a slight saline taste.

Later went to the east side of the flow to study some fumaroles but some bombs fell close by, dropping with a swishing noise. One that fell nearby, having a diameter of about 10 inches had a surface temperature of 202°C.

Began to rain, so returned to the casita.

Observed a long streak of steam down the side of the cone, reaching almost to the bottom, as if a small stream of water had run down, and later another smaller one.

At 6 PM, very hazy, with later dense steams clouds from the fumaroles drifting to the east and filling the basin, with fog.

During the night heavy falls of large blocks from the crater many of which came quite far out, accompanied by heavy drumming of falling rocks.

May 24.

Fine clear day, spent mostly in photography. In an old dead pine tree near the lava flow found two squirrels, apparently contented. Later a blue jay came and fought with one of the squirrels. Caught insects upon the ash, many leaf-hoppers, some spiders, a large grasshopper, a longicornis and others. Saw one sulfur butterfly and later a large bright one. Also saw large lizard scamper between the bolocks of the old lava. In the afternoon took colored pictures of some of the fumaroles.

The volcano was magnificent at night.

Notes on Paricutin volcano - page 2 ' May 25. Ash falling at the casita so decided it was clear to the south. however, the ash was worst, falling constantly and the falling blocks raised much dust from the old ash cover. Soon began to rain, some mud, so began to return. The fall of ash consisted of porous material up to 4 inches in diameter. All, except the larger fragments, appeared to be colder than the surrounding atmosphere. We all agreed that the ash was chilled. Much more ash to the south than to the north. The pine trees were covered above the lower branches. The large oaks had mounds of ash beneath them where the numerous twigs intercepted the ash and built up hummocks. These mounds sometimes reached a meter and one half above the general level of the ash. Found a bluejay with a broken wing, perhaps hit by an ejected fragment. Found Tako's house, now covered by ash up to the ridge pole. Luis estimated that the ash was about 2 meters deep. May 26 Cloudy with the wind from the northwest. Spent the day collecting specimens. In the fumaroles below the casita dug below the ash into loose blocks and found beautiful trapezohedral crystals of sal-ammoniac. Collected in the iron fumaroles to the west. A large one, with a golden brown, feathery incrustation had a very strong odor of hydrochloric acid. Scrapped off the walls for material for analysis. Dug out some others and found that good material had formed below the blanket of ash, good crystals of ammonium chloride, also feathery, skeletal crystals as delicate as snow crystals; yellow deliquiscent crusts, and minute crystals of an orange-red color. June 9. 8 AM - Uruapan. Beautiful clear day. The smoke cloud of Paricutin beautifully visible as a tall plume, with the ash cloud extending miles to the south. From Uruapan, to the top of the smoke column had an angle of 190. By 9 o'clock clouds began to form below the ash curtain. (Photo) 11AM - Arrived at the old campamienta. From here the cone was rather highly inclined, the high side of the crater to the south. Clouds had formed in many directions, particularly to the south in the direction of the smoke drift. Compared to the vapor clouds, the ash cloud had a pinkish brown color. (Photo) 2 PM - Approaching Parangaricutiro, had a good view of the volcano, with its large, well defined and normal smoke column. 3 PM - While awaiting our horse at Parangaricutiro, noticed the smoke column diminish to a thin, lazy column of smoke. 3:30 PM - The smoke column has dwindled to a relatively small wisp, sometimes hardly discernible and it began to look as if the volcano was about to enter a phase of quiescence. There were occasionally ejection of large blocks from the crater but without any noise. This condition continued to about 8 PM with only small bursts, chiefly lathe blocked, slight dust column with occasional weak bursts of smoke, but gradually increasing in intensity and frequency. 9 PM. Bursts increased in intensity, ejecting large blocks but little smoke. Bursts 1/2 to 4 seconds apart, some of the large blocks taking 12 seconds to fall from their ultimate altitude. During the period of large blocks these masses showed many irregular and curious forms, elongated shapes, such as rod, mace, boomerang, club, hammer, T's and bird shapes. From 9 to 2 AM, the crater was in tremendous activity, with rapid and huge bursts of brilliant hot lava and tremendous noise so that the surrounding hills reverberated and rolled with the sound. During this period we observed a number of brilliant displays of "flashing arcs" that rose from the crater and sped, almost with the speed of lightning into the clouds above the crater.

page 3 Notes on Paricutin volcano -These were immediately followed by hige irregular masses of orange colored lava, which falling upon the slopes of the cone made brilliant cascades of glowing rocks. (Note: During the daylight hours the ejected masses showed many irregular, elongated shapes) These arcs gave advance notice by a vivid lighting of the ash cloud above. The arcs were accompanied by temendous roars of noise and blasts of air, sometimes sufficiently strong to blow open the door of the casita. June 10 -12 AM- A vivid electrical storm to the southeast of the volcano. 2:10 AM - The tremendous roar of the volcano suddenly ceased, there being one last tremendous blast about one minute after the general roar. After this last blast I went to the door of the casita but could not make out the cone. Everything was ghostly still in the striking contrast to the tremendous din a few minutes before. In a few minutes I could perceive a large dust cloud and an occasional incandescent rock rolling down the cone's side. When the dust cleared a huge notch was evident in the profile of the cone. Earlier in the evening (about 9 PM) I noticed an almost imperceptible offset in the north rim of the cone. This can be seen in one of the photographs I took at that time. At 12 AM this had developed into a perceptible sag. Immediately after the lifting of the dust clouds there was a beautiful fountain of incandescent rock from the crater, the bursts following each other in rapid succession, most of them without noise except the patter of falling rocks upon the cone, or at most feeble noises. This continued until the next morning. In the morning (June 10) one could see that a large section of the north side of the cone had slid down forming a huge caldera-like cut in the previously symmetrical cone. The break covered about 45 degrees of an arc of the original cone. The east and west breaks were sharp, with steep walls, and the slumped portion stepped down the terraces (two long ones). The crater was very quiet with only an occasional burst of rock, but with a normal smoke cloud. The lowest terrace, beginning at the east break in the cone sloped about 5 degrees to the east. The western and lower end showed an area of reddish oxidized rock and an occasional fall of rock accompanied by a reddish dust. This portion was obviously in motion and at 11 AM flowing lava appeared. The lava front advanced about 30meters per hour at the beginning but soon slowed down. At 3:45 PM it had advanced about 50 meters. The height of the lava front, where it broke from its ash cover, was about 15 meters high and at its flowing front about 3 meters. The front of the lower terrace, with an angle of repose for the loose ash cover, also advanced slowly to the north by the continuous sliding down of the ash, as the front slowly advanced. The lava itself, advanced by large blocks breaking off and rolling down the front and by the almost fluid-like trickel of red hot fragments that continually spalled off. The lava front was red only in the cracks and disintegrated with a continuous crackle to which was added the tinkle of sliding rock The color of the hottest lava was orange red. No visible fumes were given off and there was no perceptible odor. The volcano was quiet all day with only smoke column. 7:40 P. M. There suddenly appeared at the northwest base of the cone, a thin column of white smoke, larger than the fumaroles and within the main portion of the old flow where there were no fumaroles. Within a minute or two the base of the smoke column appeared red, increasing rapidly in intensity. We immediately hastened to the spot, crossing on our way an area of greatly disturbed ash and some pressure ridges, and found a low cliff of rock with

Paricutin - page 4 brilliant incandescent cracks slowly disintegrating. Large incandescent fragments rolled from the front and there were numerous streams of small incandescent fragments running down its surface which were difficult to distinguish from true liquid flow. A few small streamlets of true liquid also flowed out. About 15 minutes after our arrival at the spot, an area about 2 meters in diameter became more incandescent and began to work like thick dough. This continued for about a half minute when it began to flow like thick molasses and within a few minutes a front, 5 meters across was in liquid motion and flowed like molasses down the slope. The lava stream had a light golden yellow color and flowed without noise or odor, casting a pink and yellow glow upon the sparse vapors that arose from its surface and lighting up the night like bright moonlight. A curious phenomenon was the ejection of incandescent pebbles from the surface of the flow with a whistling noise, like that of a skyrocket. The flow began behind a ridge, the opposite side of which showed pressure ridges for a distance of 50 meters. At the edge of the lava flow, about 50 meters from its apparent source was a peak of lava, with much incandescent areas, and which was ina state of disintegration. 8:30 - The actual flow of liquid lava began. 10:00 - We returned to the flow after coming to the casita for films. By then the flow had spread over a large area, 100 meters or more across. The flow was slower, although another overriding it was advancing more rapidly. The flow front was about 2 to 2 1/2 meters high. The upper surface had al-Copious fumes were given ready darkened, but the advancing front was red. off from the hotter area behind, and the glowing lava cast a pink and yellow glow upon them. At the hot hill observed a curious occurrence, a small whirlwind, in very rapid circular motion, giving off a whistling noise. Thought it was escaping gases, but it began to move, covering an area of 5 x 5 meters1lasted about 2 minutes. June 11 Fairly clear in the morning, but clouds forming early. Rained at noon. Smoke plume normal. From the casita very little apparent activity at the two flows. No fumes from the first, and little from the second. 2 FM - Activity from the cone decreased. Almost continuous growls, but little smoke, sometimes none. Opposite side of cone visible through the gap Fairly large blocks thrown up, but none about the crater rim. 3:15 same, but glow of hot ejectamenta frequently visible in crater gap. Observed a slender brown dust devil over flow #3. 3:20 - Activity increased somewhat with more incandescent blocks thrown It seems that the previous apparent lack of relationship between blasts and rock ejecta is that in many of the rocks did not reach the crater rim. 3:25 - Observed two blasts, one that followed the other one second after. The first from center of the crater ejected hot blocks, the second from the west portion, thick black smoke.

Paricutin - page 5 June 12 - Rain most of the day. In the morning went northeast of the casita. Set up the camera in a broad open valley and soon noticed that there were two columns of smoke, one, apparently west of the other, gave off dense gray smoke, the nearer one less smoke and some rocks. Observed these 2 columns a number of times until clouds obscured the cone. At 2:30 rain ceased for a while, so planted the tubes in fumaroles. In the"valley" opposite Dr. Atl's house noticed a new ridge of pushed up, oxidized ash, extending from the S. E. and reaching about 30' high, and further on a section of new lava flow between two hills. This proved to be a new flow, issuing from beneath the ash near the original flow, flowing to the northwest, to the orilla of Paricutin, then down the orilla. When we returned to the casita, there was little smoke from the cone. and one could clearly see a larger crater in front, with a second one behind, separated by a high steep medial ridge. The north crater was entirely quiet, but the second one was in active eruption. Night: A fine display from the south crater, throwing small rocks, sometimes 1,000 meters high and often showning black smoke with incandescent streaks. This eruption was comparatively quiet, with no other sound than the swish and impact of rocks. Continued so until we returned- retired. Returning from the flow in the night noticed a number of new glowing spots in the old flow. These appeared to be, not new cracks developed by the push of the new lava, but rejuvenation of already existing fumaroles. June 13. Cloudy and rain. Tremendous grating roar, occasionally crackling roar, Daybreak. continuous without interruption except for very rare periods of one half minute of complete silence. The continuous vibrations of this noise was perceptible, sometimes strong. A small smoke column, and apparently small stones shot up in a swift and continuous stream like a geyser. Appears to be due to almost continuous escape of gases. All this from south crater. North crater dormant. Don Felipe came in some agitation to tell us Paricutin was threatened by the flow. When we arrive found the flow had advanced well beyond the old flow and was flowing down the barranca at a rate of 25 meters per hour and laterally at only 2-1/2 m. p. h. The canyon is about 6 meters deep and four wide. Character of flow similar to yesterday. Faint bluish fumes from lava surface. No smell. Quiet flow. Planted some fumarole tubes. June 14 - Cloudy. During early morning hours much irregularity in noises, sometimes rears, sometimes like high wind and occasional tremendous bursts. One very strong one at 2 AM. In the morning one could see a new lava flow, cascading rapidly between a small pyramidal hill at the base of the north crater, and the eastern wall of the break and flowing between this break and the lowest terrace to the base of the cone and beyond. The point of exit was about 75 meters below the lip of the crater, behind the pyramidal hill. Some additional slumping took place around the lip. The lava gave off bluish fumes sometimes tinged a brownish yellow. The south crater gave off continuous smoke cloud, accompanied by an occasional roar, and puffs like those of a locomotive starting. At intervals the north crater gave off faint bluish or brownish smoke and at rarer intervals bursts of incandescent rock and black dust clouds.

original condition. Very few rocks now fall on east slope.